



**Part no.: 549852**  
**UDC-1300-S2**  
**Device column**

Figure can vary

## Contents

- Technical data
- Accessories


Part no.: 549852 – UDC-1300-S2 – Device column

## Technical data

<b>Basic data</b>	
Series	UDC
Contains	BT-P40 clamp bracket, 2x Mounting kit for floor assembly
Suitable for	MLC 500, MLC 300 safety light curtains MLD 500, MLD 300 multiple light beam safety devices
Type, columns and mirrors	Device column
<b>Functions</b>	
Functions	Mounting and protection of light curtains and multiple light beam devices Adjustable, 3 directions
<b>Mechanical data</b>	
Dimension (W x H x L)	160 mm x 1,360 mm x 149 mm
Housing material	Plastic Metal, Aluminum
Net weight	5,235 g
Housing color	Yellow, RAL 1021
Type of fastening	Floor mounting Mounting plate
Mechanical reset function	Yes
Column height without foot	1,300 mm
Exterior mounting of accessories	Lateral Rear
<b>Classification</b>	
eCl@ss 8.0	27279290
eCl@ss 9.0	27279090
ETIM 5.0	EC002498
ETIM 6.0	EC002498

## Accessories





### Mounting technology - Other

	Part no.	Designation	Article	Description
	424417 **	BT-2P40	Mounting bracket set	Contains: BT-P40 clamp bracket, 2x Design of mounting device: Mounting clamp Fastening, at system: Groove mounting Mounting bracket, at device: Groove mounting Type of mounting device: Clampable Material: Metal


\*\* Included in delivery contents

Part no.: 549852 – UDC-1300-S2 – Device column


## Muting - Mounting systems

	Part no.	Designation	Article	Description
	426526	Set-AC-MLX.2-2SA	Muting sensor set	Operating range: 0 ... 8 m Cable length of muting sensors: 2,000 mm Type of muting sensors: PRK 25B retro-reflective photoelectric sensors Number of muting sensors: 2 Piece(s) Number of reflectors: 2 Piece(s)
	426527	Set-AC-MLX.2-2SB	Muting sensor set	Operating range: 0 ... 8 m Cable length of muting sensors: 2,000 mm Type of muting sensors: PRK 25B retro-reflective photoelectric sensors Number of muting sensors: 2 Piece(s) Number of reflectors: 2 Piece(s)
	426529	Set-AC-MTX.2-2S	Muting sensor set	Operating range: 0 ... 8 m Cable length of muting sensors: 2,000 mm Type of muting sensors: PRK 25B retro-reflective photoelectric sensors Number of muting sensors: 2 Piece(s) Number of reflectors: 2 Piece(s)
	426528	Set-AC-MTX.2-4S	Muting sensor set	Operating range: 0 ... 8 m Cable length of muting sensors: 2,000 mm Type of muting sensors: PRK 25B retro-reflective photoelectric sensors Number of muting sensors: 4 Piece(s) Number of reflectors: 4 Piece(s)

## Protective screens

	Part no.	Designation	Article	Description
	426187	PSC-1300-S2	Protective screen	Material: PMMA, gray

## Replacement part

	Part no.	Designation	Article	Description
	426196	MS-UDC/UMC-S2	Accessories set	Dimensions: 149 mm x 160 mm x 64 mm Housing color: Black