



AZ/AZM201-B1-LT

- for left hinged doors
- Actuators with return spring
- Actuator for sliding guards
- Tolerates up to max. 5 mm overtravel

Data

Ordering data

Product type description	AZ/AZM201-B1-LT
Article number (order number)	103013493
EAN (European Article Number)	4030661493411
eCl@ss number, version 12.0	27-27-26-06
eCl@ss number, version 11.0	27-27-26-06
eCl@ss number, version 9.0	27-27-26-06
ETIM number, version 7.0	EC001487
ETIM number, version 6.0	EC001487

Approvals - Standards

Note	Certification in combination with the AZ /AZM 201 devices
------	---

General data

Actuating direction	left
Housing material	Glass-fibre, reinforced thermoplastic

Material of the actuator	Zinc die-cast
--------------------------	---------------

Gross weight	240 g
--------------	-------

Mechanical data

Mechanical life, minimum	1,000,000 Operations
--------------------------	----------------------

Holding force F_{Zh} in accordance with EN ISO 14119	2,000 N
--	---------

Holding force F_{max} , maximum	2,600 N
-----------------------------------	---------

Mechanical data - Dimensions

Length of the actuator	50 mm
------------------------	-------

Width of the actuator	84 mm
-----------------------	-------

Height of the actuator	115 mm
------------------------	--------

Scope of delivery

Scope of delivery	The safety switch / solenoid interlock and the actuator unit must be ordered separately.: The safety switch / solenoid interlock and the actuator unit must be ordered separately.
-------------------	--

Pictures

Product picture (catalogue individual photo)




ID: kaz20f04

| 281.2 kB | .jpg | 276.931 x 352.778 mm - 785 x 1000 px - 72 dpi

| 39.1 kB | .png | 74.083 x 94.192 mm - 210 x 267 px - 72 dpi

| 36.6 kB | .jpg | 97.014 x 123.472 mm - 275 x 350 px - 72 dpi

Dimensional drawing actuator



| 56.9 kB | .jpg | 352.778 x 243.769 mm - 1000 x 691 px - 72 dpi

Generated on: 24/11/2024, 17:23