

796075-1 ✓ ACTIVE

AMP | AMP CPC

TE Internal #: 796075-1

Wire Entry Seal, Natural, -55 – 105 °C [-67 – 221 °F] Operating Temperature, AMP CPC

[View on TE.com >](#)



Connectors > Connector Accessories > Connector Seals & Cavity Plugs > Sealed Accessories for CPC Series 5



Connector Seal & Plug Type: **Wire Entry Seal**

Primary Product Color: **Natural**

Operating Temperature (Max): **105 °C [221 °F]**

Operating Temperature Range: **-55 – 105 °C [-67 – 221 °F]**

[All Sealed Accessories for CPC Series 5 \(6\)](#)

Features

Product Type Features

Connector Seal & Plug Type	Wire Entry Seal
----------------------------	-----------------

Body Features

Primary Product Color	Natural
-----------------------	---------

Usage Conditions

Operating Temperature (Max)	105 °C[221 °F]
Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]

Packaging Features

Packaging Quantity	6
Packaging Method	Loose Piece

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
------------------------------	-----------

EU ELV Directive 2000/53/EC

Compliant

China RoHS 2 Directive MIIT Order No 32, 2016

No Restricted Materials Above Threshold

EU REACH Regulation (EC) No. 1907/2006

Current ECHA Candidate List: JUNE 2024 (241)
 Candidate List Declared Against: JUNE 2024 (241)
 Does not contain REACH SVHC

Halogen Content

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Not applicable for solder process capability





Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



Also in the Series | AMP CPC





Connector Hardware(12)




Connector Seals & Cavity Plugs(36)



Connector Strain Relief(60)



Insertion & Extraction Tools(1)



Sealing Sleeves(2)

Customers Also Bought



TE Part #211825-2
CPC RECEPT ASSEMBLY SIZE 23-13



TE Part #796190-1
One-Piece Connector, Sealed, CPC Series 1



TE Part #206207-1
17-3 RECEPT. FREE-HANGING




TE Part #2103177-4
PLUG ASSY, KEY D, TA,CPA, HVA280-2PHI XE



TE Part #3-2176412-6
5W XSM M/OX 5% 150R



TE Part #34826
TERMINAL,PG R 16-14HD 3/8



TE Part #C10090-000
HX-SCE-2.5K-4.8-SS1-4CSBN

Documents

[Product Drawings](#)
[NGC SEALING PLUG](#)

English

[CAD Files](#)

[3D PDF](#)

[3D](#)

[Customer View Model](#)

[ENG_CVM_CVM_796075-1_C.2d_dxf.zip](#)



English

Customer View Model

[ENG_CVM_CVM_796075-1_C.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_796075-1_C.3d_stp.zip](#)

English

[3D PDF](#)

English

Customer View Model

[ENG_CVM_796075-1_D.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_796075-1_D.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_796075-1_D.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[1-1773902-9_CPC_Catalog](#)

English

[1-1773902-9_CPC_Catalog](#)

[1-1773902-9_CPC_Catalog](#)

German

[1-1773902-9_CPC_Catalog](#)

Japanese