



Preset Break-Over Torque Wrench With 3/4 Bit For N Connectors Preset to 8 in-lbs

Torque Wrenches Technical Data Sheet

PE5019-3

Features

- Makes over-torqueing impossible
- Clearly labeled, blue anodized aluminum handle
- Comes packaged inside a labeled wooden box

Applications

- · Lab environments
- · Production cable attachment
- · Field install and testing
- · Applying accurate torque

Preventing over torque

Description

PE5019-3 is a break-over type torque wrench with 3/4 bit for type N connectors and a preset value of 8 in-lbs. Pasternack's PE5019-XX break-over torque wrenches allow accurate mating force when assembling and disassembling a variety of RF coaxial connectors. The unique feature of break-over torque wrenches is that they will "break" at the pivot point once the preset torque value is achieved, effectively preventing the user from over tightening the coupling nut on the connector which is not possible with a click style torque wrench. Our break-over type N torque wrenches are lab-quality tools made with a durable nickel-plated steel alloy wrench head connected to a lightweight, blue anodized aluminum handle. These RF torque wrenches are calibrated at time of manufacture in compliance with ANSI/NCSL Z540 or other internationally recognized standard.

Configuration

Torque Type Preset Design Type Break-Over Hex Size 3/4 inch **Torque Setting** 8 in-lbs [0.9 Nm] **Torque Accuracy** ±0.32 in-lbs [±0.04 Nm]

0.506 lbs [229.52 g] Weight Handle Color Blue

Wrench Head Material Steel Wrench Head Plating Nickel

Handle Material Blue Anodized Aluminum

Compliance Certifications (see product page for current document)

Notes:

- · Do not use on damaged connectors.
- The torque wrench is verified at the factory and cannot be calibrated by the user. We cannot re-calibrate the unit.

Preset Break-Over Torque Wrench With 3/4 Bit For N Connectors Preset to 8 in-lbs from Pasternack Enterprises has same day shipment for domestic and International orders. Our RF, microwave and millimeter wave products maintain a 99.4% availability and are part of the broadest selection in the industry.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: Preset Break-Over Torque Wrench With 3/4 Bit For N Connectors Preset to 8 in-lbs PE5019-3







Preset Break-Over Torque Wrench With 3/4 Bit For N Connectors Preset to 8 in-lbs

Torque Wrenches Technical Data Sheet

PE5019-3

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: Preset Break-Over Torque Wrench With 3/4 Bit For N Connectors Preset to 8 in-lbs PE5019-3

URL: https://www.pasternack.com/preset-break-over-torque-wrench-3-4-bit-n-8in-lbs-pe5019-3-p.aspx

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Pasternack reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Pasternack does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Pasternack does not assume any liability arising out of the use of any part or documentation.

Pasternack Enterprises, Inc. • P.O. Box 16759, Irvine, CA 92623

Phone: (866) 727-8376 or (949) 261-1920 • Fax: (949) 261-7451

Sales@Pasternack.com • Techsupport@Pasternack.com



ISO 9001: 2008 Registered

